



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/642,635	08/19/2003	Kang Soo Seo	46500-000532/US	3779
30593 7590 07/25/2008 HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 8910 RESTON, VA 20195				
EXAMINER				
CHIO, TAT CHII				
ART UNIT		PAPER NUMBER		
2621				
MAIL DATE		DELIVERY MODE		
07/25/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/642,635

**Applicant(s)**

SEO ET AL.

**Examiner**

TAT CHI CHIO

**Art Unit**

2621

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 19 June 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1, 2, 4, 5 and 7-32 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 4, 5 and 7-32 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☒ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-850)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_
- Paper No(s)/Mail Date See Continuation Sheet

Continuation of Attachment(s) 3. Information Disclosure Statement(s) (PTO/SB/08), Paper No(s)/Mail Date :3/14/2008, 4/24/2008, 5/20/2008, and 6/19/2008.

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments filed 6/19/2008 have been fully considered but they are not persuasive.

Applicant argues that the amended claim 1 reciting "a computer readable medium storing a computer executable program to reproduce a data format structure" is functional descriptive material.

In response, the examiner respectfully disagrees. The body of claim 1 recites two areas: a data area and a management area that are nonfunctional descriptive materials. These data structures do not support the computer executable program in the preamble of claim 1. That is, the preamble of claim 1 recites a computer program while the body of claim 1 recites video data. Therefore, although the preamble of claim 1 recites "computer readable medium storing a computer executable program to reproduce a data format structure," it does not make the claim statutory subject matter.

Applicant argues that the combination of Sawabe et al. and Kaneshige et al. does not teach the limitation "a management area separate from the data area, the management area storing management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for associated reproduction path."

In response, the examiner respectfully disagrees. In Fig. 16, Kaneshige et al. teach "Control Data (VTSI)" that is the management information area and "VOBS For

Title (VTSTT\_VOBS)" that is the data area. These two areas are separate. In Fig. 26, "Video Title Set Part-of-Title Search Pointer Table (VTS\_PTT\_SRPT)" belongs to "Video Title Set Information (VTSI)." Furthermore, as indicated in column 15 and lines 29-31, the video title set part-of-title search pointer table contains entry points of titles. Therefore, the combination of Sawabe et al. and Kaneshige et al. teaches the limitation "a management area separate from the data area, the management area storing management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for associated reproduction path."

***Claim Rejections - 35 USC § 101***

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1, 2, 4, 5 and 7-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Nonfunctional descriptive material that does not constitute a statutory process, machine, manufacture, or composition of matter and should be rejected under 35 U.S.C. 101. Certain types of descriptive material, such as music, literature, art, photographs, and mere arrangements or compilations of facts or data, without any functional interrelationship is not a process, machine, manufacture, or composition of matter. USPTO personnel should be prudent in applying the foregoing guidance. Nonfunctional descriptive material may be claimed in combination with other functional descriptive multi-media material on a computer-readable medium to provide the necessary functional and structural interrelationship to satisfy the requirements of 35 U.S.C. 101. The presence of the claimed nonfunctional descriptive material is not necessarily determinative of nonstatutory subject matter. For example, a computer that recognizes a particular grouping or sequence of musical notes read from memory and thereafter causes another defined series of notes to be played, requires a functional interrelationship among that data and the computing processes performed when utilizing that data. As such, a claim to that computer is statutory subject matter because it implements a statutory process.

Claims 1, 2, 4, 5 and 7-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter as follows. Claims 1, 2, 4, 5 and 7-

Art Unit: 2621

19 recite a computer readable medium which does not impart functionality to a computer or computing device, and is thus considered nonfunctional descriptive material. Such nonfunctional descriptive material, in the absence of a functional interrelationship with a computer, does not constitute a statutory process, machine, manufacture or composition of matter and is thus non-statutory per se.

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 2, 4, 7-15, 17, 18, 20-24, 26, and 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sawabe et al. (6,031,962) in view of Kaneshige et al. (5,913,010).

**Consider claim 1**, Sawabe et al. teach a computer readable medium storing a computer executable program to reproduce a data format structure and having a data structure for managing reproduction of at least video data having multiple reproduction paths recorded on the computer readable medium, comprising: a data area storing at least a portion of the video data having multiple reproduction paths (Fig. 5), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6), each interleaving unit associated with one of the reproduction paths (Fig. 6), each interleaving unit starting and ending with a reproduction path change point (Fig. 6),

the interleaving units associated with different reproduction paths being interleaved in the data area (Fig. 7), and the video data in each interleaving unit being divided into one or more entry points (Fig. 7); but do not explicitly teach a management area separate from the data area, the management area storing management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path.

Kaneshige et al. teach a management area separate from the data area, the management area storing management information for managing reproduction of the multiple reproduction path video data, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to separate the data area and the management area to efficiently organize the data in the recording medium.

**Consider claims 2, 28, and 29,** Sawabe et al. teach the computer readable medium, wherein the video data having multiple reproduction paths is divided into a plurality of clip files (Fig. 6), each clip file including video data associated with one of the multiple reproduction paths (Fig. 6), and each clip file divided into one or more of the interleaving units (Fig. 6).

**Consider claims 4, 24, and 26,** Sawabe et al. teach the computer readable medium, wherein each interleaved unit in at least one clip file includes a same number of entry points (Fig. 7).

**Consider claim 7,** Sawabe et al. teach the computer readable medium, wherein each entry point map indicates which of the identified entry points is a last entry point in an interleaved unit (Fig. 6 and Fig. 7).

**Consider claim 8,** Sawabe et al. teach the computer readable medium, wherein each entry point map indicates which of the identified entry points is a first entry point in an interleaved unit (Fig. 6 and Fig. 7).

**Consider claim 9,** Sawabe et al. teach the computer readable medium, wherein the entry point maps are aligned in time (Fig. 6 and Fig. 7).

**Consider claim 10,** Sawabe et al. teach the computer readable medium, further comprising: the management information includes an information file associated with each clip file, each information file including the at least one entry point map for the associated clip file, each entry point map identifying entry points in the clip file (Fig. 6 and Fig. 7).

**Consider claim 11,** Sawabe et al. teach the computer readable medium, wherein each entry point map indicates which of the identified entry points is a last entry point in an interleaved unit (Fig. 6 and Fig. 7).

**Consider claim 12,** Sawabe et al. teach the computer readable medium, wherein each entry point map indicates which of the identified entry points is a first entry point in an interleaved unit (Fig. 6 and Fig. 7).



**Consider claim 13,** Sawabe et al. teach the computer readable medium, wherein the entry point maps are aligned in time (Fig. 6 and Fig. 7).

**Consider claim 14,** Sawabe et al. and Kaneshige et al. teach a computer readable medium storing a computer executable program to reproduce a data format structure and having a data structure for managing reproduction of at least video data having multiple reproduction paths recorded on the computer readable medium, comprising: a data area storing a plurality of clip files (Fig. 6 of Sawabe et al.), each clip file including video data associated with one of the multiple reproduction paths (Fig. 6 of Sawabe et al.), each clip file divided into entry points of video data (Fig. 7 of Sawabe et al.), the entry points in each clip file being grouped into one or more interleaving units (Fig. 7 of Sawabe et al.), and the plurality of clip files being interleaved in the data area on a interleaving unit basis (Fig. 7 of Sawabe et al. ); and a management area separate from the data area, the management area storing management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al.).

**Consider claim 15,** Sawabe et al. teach the computer readable medium, wherein each interleaved unit in at least one clip file includes a same number of entry points (Fig. 7).

**Consider claim 17**, Sawabe et al. teach a computer readable medium storing a computer executable program to reproduce a data format structure and having a data structure for managing reproduction of at least video data having multiple reproduction paths recorded on the recording medium, comprising: a data area storing at least a portion of the video data having multiple reproduction paths (Fig. 6 of Sawabe et al.), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6 of Sawabe et al.), each interleaving unit associated with one of the reproduction paths (Fig. 6 of Sawabe et al), each interleaving unit being formed of a number of entry points (Fig. 7 of Sawabe et al), and the interleaving units associated with different reproduction paths being interleaved in the data area (Fig. 7 of Sawabe et al); and a management area separate from the data area, the management area storing management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al).

**Consider claim 18**, Sawabe et al. teach the computer readable medium, wherein the number of entry points is fixed for at least interleaving units associated with a same reproduction path (Fig. 7).

**Consider claim 20**, Sawabe et al. teach a method of recording (Fig. 11 of Sawabe et al) a data structure for managing reproduction of at least video data having multiple reproduction path video data on a recording medium, comprising: recording at

least a portion of the video data having multiple reproduction paths in a data area of the recording medium (Fig. 6 of Sawabe et al), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6 of Sawabe et al), each interleaving unit associated with one of the reproduction paths (Fig. 6 of Sawabe et al), each interleaving unit starting and ending with a reproduction path change point (Fig. 6 of Sawabe et al), the interleaving units associated with different reproduction paths being interleaved in the data area (Fig. 7 of Sawabe et al), and the video data in each interleaving unit being divided into one or more entry points (Fig. 7 of Sawabe et al); and recording management information in a management area separate from the data area, management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al).

**Consider claim 21,** Sawabe et al. teach a method of reproducing (Fig. 12 of Sawabe et al) a data structure for managing reproduction of at least video data having multiple reproduction paths recorded on a recording medium, comprising: reproducing at least a portion of the video data having multiple reproduction paths from a data area of the recording medium (Fig. 6 of Sawabe et al), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6 of Sawabe et al), each interleaving unit associated with one of the reproduction paths (Fig. 6 of Sawabe et al), each interleaving unit starting and ending with a reproduction path

change point (Fig. 6 and Fig. 7 of Sawabe et al), the interleaving units associated with different reproduction paths being interleaved in the data area (Fig. 7 of Sawabe et al), and the video data in each interleaving unit being divided into one or more entry points (Fig. 7 of Sawabe et al); and reproducing management information from a management area separate from the data area, the management information for managing reproduction of the video data having multiple reproduction paths, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al).

**Consider claim 22**, Sawabe et al. teach an apparatus for recording a data structure for managing reproduction of at least video data having multiple reproduction paths on a recording medium, comprising: an optical recording device to record data on the recording medium (101, 102, and 103 of Fig. 12 of Sawabe et al); and a controller, operably coupled to the optical recording device, configured to control to record the video data having multiple reproduction path video data on the recording medium (75 of Fig. 11 of Sawabe et al), the controller configured to control the optical recording device to record at least a portion of the video data having multiple reproduction paths in a data area of the recording medium (75 of Fig. 11 of Sawabe et al), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6 of Sawabe et al), each interleaving unit associated with one of the reproduction paths (Fig. 6 of Sawabe et al), each interleaving unit starting and ending with a reproduction path

change point (Fig. 6 and Fig. 7 of Sawabe et al), the interleaving units associated with different reproduction paths being interleaved in the data area (Fig. 7 of Sawabe et al), and the video data in each interleaving unit being divided into one or more entry points (Fig. 7 of Sawabe et al), and the controller configured to control the optical recording device to record management information for reproduction of video data having the multiple reproduction paths in a management area separate from the data area of the recording medium, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al).

**Consider claim 23**, Sawabe et al. teach an apparatus for reproducing a data structure for managing reproduction of at least video data having multiple reproduction paths recorded on a recording medium, comprising: an optical reproducing device configured to reproduce data recorded on the recording medium (101, 102, and 103 of Fig. 12 of Sawabe et al); a controller, operably coupled to the optical reproducing device, configured to control the optical reproducing device to reproduce at least a portion of the video data having multiple reproduction paths from a data area of the recording medium (100 of Fig. 12 of Sawabe et al), the video data having multiple reproduction paths being divided into one or more interleaving units (Fig. 6 of Sawabe et al), each interleaving unit associated with one of the reproduction paths (Fig. 6 of Sawabe et al), each interleaving unit starting and ending with a reproduction path change point (Fig. 6 and Fig. 7 of Sawabe et al), the interleaving units associated with

different reproduction paths being interleaved in the data area (Fig. 7 of Sawabe et al), and the video data in each interleaving unit being divided into one or more entry points (Fig. 7 of Sawabe et al), and the controller configured to control the optical recording device to record management information for reproduction of the video data having multiple reproduction paths in a management area separate from the data area of the recording medium, the management information including at least one entry point map associated with each reproduction path, each entry point map identifying the entry points in the video data for the associated reproduction path (col. 15, lines 29-31, Fig. 16, and Fig. 26 of Kaneshige et al).

**Consider claim 30**, Sawabe et al. teach the apparatus further comprising: an encoder configured to encode the video data having multiple reproduction paths (72 of Fig. 11).

3. Claims 5, 16, 19, 25, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sawabe et al. (6,031,962) in view of Kaneshige et al. (5,913,010) as applied to claims 1, 14, 17, 22, and 23 above, and further in view of Sugimoto et al. (US 6, 470,140 B1).

**Consider claims 5, 25, and 27**, Sawabe et al. and Kaneshige et al. teach all the limitations in claims 1 and 3 but fails to explicitly teach the computer readable medium, wherein at least two interleaved units in at least one clip file have a different number of entry points.

Sugimoto et al. teach the recording medium, wherein at least two interleaved units in at least one clip file have a different number of entry points (Fig. 44). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate different number of entry points to efficiently utilize the random access capability of disc media.

**Consider claim 16**, Sugimoto et al. teach the computer readable medium, wherein at least two interleaved units in at least one clip file have a different number of entry points (Fig. 44).

**Consider claim 19**, Sugimoto et al. teach the computer readable medium, wherein the number of entry points varies for at least interleaving units associated with a same reproduction path (Fig. 44).

4. Claims 31 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sawabe et al. (6,031,962) in view of Kaneshige et al. (5,913,010) as applied to claim 22 above, and further in view of Kato (US 7,106,946 B1).

**Consider claim 31**, Sawabe et al. and Kaneshige et al. teach all the limitations in claim 22 but do not explicitly teach the apparatus further comprising: a source packetizer configured to packetize the video data.

Kato teaches the apparatus further comprising: a source packetizer configured to packetize the video data (col. 6, lines 15-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to packetize the video data to facilitate reproduction with high responsiveness.

**Consider claim 32**, Kato further teaches the apparatus further comprising: a source de-packetizer configured to de-packetize a packet of the video data (col. 9, lines 30-35).

***Conclusion***

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TAT CHI CHIO whose telephone number is (571)272-9563. The examiner can normally be reached on Monday - Thursday 9:00 AM-5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thai Tran can be reached on (571)-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/T. C. C./  
Examiner, Art Unit 2621

/Thai Tran/  
Supervisory Patent Examiner, Art Unit 2621